


Diamond Scan 20 A (HA3905ADK) 20"/19V" Color Monitor



Key Features

- Automatic tracking of scanning frequencies for versatility and ease of use (15.7 ~ 36 kHz horizontal and 45 ~ 80 Hz vertical)
- Analog or digital input
- Compatible with IBM® CGA, EGA, VGA, Apple® Macintosh™ II, and many other graphics boards

Specifications

CRT

Size

Gun

Dot pitch

Phosphors

Displayed colors

Video

Input signal

Resolution

Display size

Auto-Scanning Frequencies

Horizontal

Vertical

Power Supply

Voltage

Frequency

Wattage

Input Connector

Option

20"/19V"

Precision in-line

0.31 mm

P22

Infinite (analog), 16/64 (digital)

Analog or digital

1024 x 800 (pixels, maximum)

800 x 600 (non-interlaced, typical)

13.8 x 10.4 inches, 350 x 265 mm

15.7 ~ 36 kHz auto-tracking 45 ~ 80 Hz auto-tracking

120/240 VAC switchable

50/60 Hz

110 watts (max.)

D-sub 15 pin

BNC x 4

Tilt and swivel base



MITSUBISHI ELECTRONICS AMERICA, INC. COMPUTER PERIPHERALS DIVISION

Corporate Office 991 Knox Street Torrance, CA 90502 (213) 515-3993 Carrollton, TX (214) 241-5300 Minnetonka, MN (612) 938-7779 Mt. Prospect, IL (312) 298-9223 Norcross, GA (404) 662-0758 Piscataway, NJ (201) 981-1001 Sunnyvale, CA (408) 730-5900 Torrance, CA (213) 515-3993 Woburn, MA (617) 938-1220